POPULATION ESTIMATES	S	LONG-1	ΓERM CARE		LOCAL HEAI	LTH DEPARTM	IENTS	
Total 2003 Population	41, 390	Community Options as HSRS reports o	s and MA \ costs for	Wai ver servi ces	Staffing - FTF	Number	Per 10,000 Population	
Population per square mile County ranking in state (1 Age Female Male 0-14 3,730 3,740	49 1-72) 35 Total 7, 480	CI	i ents 2	Costs \$57, 746	Total staff Administrative Public health nurs Other prof. staff Technical/Parapro Support staff	17. 2 1. 0 ses 4. 7 6. 2 f. 2. 5	4. 2 0. 2 1. 1 1. 5 0. 6	
15-19 2, 100 2, 080 20-24 2, 860 3, 210 25-29 1, 090 1, 340	4, 180 6, 070 2, 430	MA Wai ver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wyrs	83 19 67	\$2, 547, 863 \$402, 057 \$630, 761				
30-34 1, 030 1, 170 35-39 1, 250 1, 310 40-44 1, 400 1, 470	2, 200 2, 560 2, 870	CSLA Brain Injury Total COP/Wvrs	0 0 183	\$0 \$0 \$4, 308, 167	Fundi ng Total Local Taxes			
45-54 2, 680 2, 760 55-64 1, 770 1, 830	5, 440 3, 590	\$319,007 of th	ne ahove i	waiver costs	LI CENSED ESTABLI SHMENTS			
65-74 1, 150 1, 040 75-84 930 700 85+ 500 240 Total 20, 500 20, 890	2, 200 1, 620 750 41, 390	were paid as loc using COP funds. not included in	cal match. This amendments and above COM	/overmatch mount is P costs.	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	Capaci ty 15 461 530	Facilities 6 7 10	
Age Female Male 0-17 4,990 4,990 18-44 8,470 9,330	Total 9, 990 17, 800	* Wai ver costs r i ncl ude federal Cl	fundi ng		Pools Restaurants Vending	5	20 20 166 2	
18-44 8, 470 9, 330 45-64 4, 450 4, 590 65+ 2, 580 1, 980 Total 20, 500 20, 890	9, 030 4, 570 41, 390	CI Eligible and Waiting			WI C. DA			
Poverty Estimates for 2000		(Family Care not	provi aea	in county)	WIC PAI	RITCIPANTS		
Estimate (C All ages 5, 146 12.9% Ages 0-17 1, 130 12.1%	C. I . +/-) 222 (4%) 75 (7%)	Note: Eligible ar will be phased Waivers as avai	nd waiting into the lable.	g clients COP and MA	Pregnant/Postparto Infants Children, age 1-4 Total	um	Number 419 442 596 1,457	
EMPLOYMENT					CANCER IN	CIDENCE (20	002)	
Average wage for jobs covered by unemployment compensation (place of work)	\$28, 040 Annual	Home Health Agend Patients Patients per 10,	000 pop.	315 76	Pri mary Si te Breast Cervi cal Col orectal	·	21 0 17	
Labor Force Estimates	Average	Nursing Homes Licensed beds Occupancy rate Residents on Dec	c. 31	3 262 86. 5% 231	Lung and Bronchus Prostate Other sites Total		11 19 59 127	
Civilian Labor Force Number employed Number unemployed Unemployment rate	1, 205 5. 0%	Residents age 65 per 1,000 popul	5 or olde	r 49	Note: Totals shown i nvasi ve can			

			NAT	ALLTY				
TOTAL LIVE BIRTHS		470	Birth Order	Births	Percent	Marital Status		
TOTAL ELVE BIKING		170	First	189	40	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	11. 4				Marri ed	346	74
General Fertility Rat		48. 3	Second Thi rd Fourth or higher	62	12	Not married		26
General Tertifity Nat	.0	40. 3	Fourth or higher	67	13	Unknown	0	0
Live births with repo	artad		Unknown	07	0	UTIKITOWIT	U	U
congenital enemalies	n teu 1	0 2.1%	UTIKTIOWIT	U	U	Education		
congenital anomalies	I	0 2.1%				Education	D: m+ho	Donoont
Dalis same Toma	D:+l	D	1-t Dunantal Vi ai t	D:	Danasant	of Mother	Bi rths	Percent
Delivery Type	BITTINS	Percent	1st Prenatal Visit		Percent	Elementary or le	ess 4	1
Vagi nal after	40	2	1st trimester	402	86	Some high school	28	6
_previ ous cesarean	13	3	2nd trimester	53	11	High school Some college	168	36
Forceps	0	_0	3rd trimester	9	2	Some college	122	26
Uther vaginal	362	//	No visits	53 9 4 2	1	College graduate	146	3 <u>1</u>
Primary cesarean	5/	12	Unknown	2	<. 5	Unknown	2	<. 5
Repeat cesarean	38	8			_			
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Birthweight		_	Prenatal Visits		Percent	Smoking Status		_
Birthweight	Bi rths	Percent	No visits	4	1	of Mother	Bi rths	Percent
<1,500 gm	5	1. 1	1-4	10	2	Smoker	80	17
1,500-2,499 gm	27	5. 7	5-9	101	21	Nonsmoker	386	82
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	438	93. 2	10-12	214	46	Unknown	4	1
Unknown	0	0	13+	137	29			
			Unknown	4	1			
			Law Di wthousi wht		Tn: maa+	an of First Dransta		
			Low Birthweight	10+ Tm	Trimest	er of First Prenata	al Visit	/ Independen
Dogo (Ethni ei tu	D: wtha D) a wa a w t	(under 2,500 am)	1st Tr	imester	and Trimoctor	Othor	'Unknown
Race/Ethni ci ty			(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
			(under 2,500 gm) Births Percent	1st Tr Births 386	imester	and Trimoctor	Other/ Bi rths 8	'Unknown Percent 2
			(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
			(under 2,500 gm) Births Percent	Births 386 *	imester Percent 88	2nd Trimester Births Percent 45 10 * .	Other/ Bi rths 8 *	Percent 2
			(under 2,500 gm) Births Percent	Bi rths 386 *	imester Percent 88 60	2nd Trimester Births Percent 45 10 *	Other/ Bi rths 8 * 1	Percent 2 · 20
			(under 2,500 gm) Births Percent	Bi rths 386 * 3	i mester Percent 88 60 33	2nd Trimester Births Percent 45 10 * 1 20 7 39	Other/ Bi rths 8 * 1 5	Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown			(under 2,500 gm) Births Percent	Bi rths 386 *	imester Percent 88 60	2nd Trimester Births Percent 45 10 *	Other/ Bi rths 8 * 1	Percent 2 · 20
			(under 2,500 gm) Births Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5	i mester Percent 88 60 33 83	2nd Trimester Births Percent 45 10 *	Other/ Bi rths 8 * 1 5	Percent 2
	439 2 0 5 18 6	93 <. 5 0 1 4 1	(under 2,500 gm) Births Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5	i mester Percent 88 60 33 83	2nd Trimester Births Percent 45 10 *	Other/ Bi rths 8 * 1 5 1	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	439 2 0 5 18 6	93 <.5 0 1 4 1 	(under 2,500 gm) Births Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Birthweight (under 2,500 gm)	Bi rths 386 * 3 6 5 	i mester Percent 88 60 33 83 Tri mest i mester	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	439 2 0 5 18 6 Fe Bi rths	93 <.5 0 1 4 1 	(under 2,500 gm) Births Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5 	i mester Percent 88 60 33 83	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	439 2 0 5 18 6 Fe Bi rths	93 <.5 0 1 4 1 	(under 2,500 gm) Births Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Birthweight (under 2,500 gm) Births Percent	Bi rths 386 * . 3 6 5 1st Tr Bi rths	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Bi rths 8 * 1 5 1 	Percent 2 . 20 28 17 'Unknown Percent .
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	439 2 0 5 18 6 Fe Bi rths 0 13	93 <.5 0 1 4 1 	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent 3 23.1	Bi rths 386 * 3 6 5 1st Tr Bi rths 8	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 	Percent 2 . 20 28 17
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	439 2 0 5 18 6 Fe Bi rths 0 13 30	93 <.5 0 1 4 1 	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 al Visit Other/ Births 2	Percent 2 . 20 28 17
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	439 2 0 5 18 6 Fe Bi rths 0 13 30 128	93 <.5 0 1 4 1 	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent 3 23.1 2 6.7 12 9.4	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 Births	Percent 2 . 20 28 17
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	439 2 0 5 18 6 Fe Bi rths 0 13 30 128 128	93 <.5 0 1 4 1 	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107 114	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 Births	Percent 2
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	439 2 0 5 18 6 	93 <.5 0 1 4 1 	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent 3 23.1 2 6.7 12 9.4	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107 114 112	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 Births	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	439 2 0 5 18 6 	93 <.5 0 1 4 1 2	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent 3 23.1 2 6.7 12 9.4 8 6.3 6 4.8	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107 114 112 31	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/Births 8 *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	439 2 0 5 18 6 	93 <.5 0 1 4 1 2	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107 114 112	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/ Births 8 * 1 5 1 Births	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	439 2 0 5 18 6 	93 <.5 0 1 4 1 2	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent 3 23.1 2 6.7 12 9.4 8 6.3 6 4.8	Bi rths 386 * 3 6 5 1st Tr Bi rths 8 24 107 114 112 31	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/Births 8 *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	439 2 0 5 18 6 	93 <.5 0 1 4 1 2	(under 2,500 gm) Bi rths Percent 27 6.2 * 2 40.0 2 11.1 1 16.7 Low Bi rthwei ght (under 2,500 gm) Bi rths Percent	Bi rths	i mester Percent 88	2nd Trimester Births Percent 45 10 *	Other/Births 8 * . 1 5 1	Percent 2 . 20 28 17 /Unknown Percent . 15 . 5 1 3 3 13 .

MORBI DI TY			MO	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except in d postneom d fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Number Campyl obacter Enteritis 12 Gi ardi asis 5 Hepatitis Type A 0 Hepatitis Type B** <5 Hepatitis NANB/C 12 Legi onnai re's 0 Lyme 8 Measl es <5 Meni ngi tis, Aseptic <5 Meni ngi tis, Bacterial 0 Mumps 0 Pertussis 0	TOTAL DEATHS	Deaths 2 1 2 7 14 23 33 86	Rate	Sel ected Underlying Cause Heart Di sease (total) Ischemic heart di sea Cancer (total) Trachea/Bronchus/Lun Col orectal Femal e Breast Cerebrovascul ar Di sea Lower Resp. Di sease Pneumoni a & Influenza Acci dents Motor vehicle Di abetes	se 38 53 g 8 5 2 se 21 17 8	Rate 164 92 128
Sal monel I osi s 14 Shi gel I osi s 0 Tubercul osi s 0	85+ Infant	91	12, 164	Di abetes Infect./Parasitic Dis Suicide	. 4 . 2 4	
* 2003 provisional data.** Includes all positive HBsAg test results.	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 3 3	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	E AS UNDERLY	
Sexually Transmitted Disease Chlamydia Trachomatis 79 Genital Herpes 29 Gonorrhea 5 Syphilis <5	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	3	: : :	Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHIC	e (see page LE CRASHES -	7).
Children in Grades K-12 by Compliance Level Compliant 6,360 Non-compliant 60 Percent Compliant 99.1	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal			Note: These data are of crash, not Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	Persons Pe Injured K 478 49) .

Per Average				_	_		
	Charge	D. 05.05 /		Per	Average		Charge
DI SEASE / 1,000 Stay Average	Per	DI SEASE /		1 <u>,</u> 000	Stay	Average	Per
AGE GROUP Number Pop (Days) Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related: All		Al cohol -Rel ated					
Total 236 5. 7 4. 1 \$13, 923	\$79	Total	79	1. 9	3. 1	\$3, 100	\$6
<18 14		18-44	59	3. 3	3. 0	\$3,036	\$10
18-44 59 3. 3 3. 1 \$13, 383	\$44	45-64	16				
45-64 60 6.6 5.0 \$16,866	\$112	Pneumonia and Ir	nfl uenza				
65+ 103 22.5 4.4 \$13,207	\$298	Total	98	2. 4	3. 6	\$6, 761	\$16
Injury: Hip Fracture	,	<18	13				
Total 34 0.8 5.4 \$14,926	\$12	45-64	14				_
65+ 31 6.8 5.5 \$15,598	\$106	65+	64	14. 0	4. 0	\$7, 335	\$103
Injury: Poi soni ngs	+.00	Cerebrovascul ar		0	•	4.,000	4.00
Total 18		Total	68	1.6	4. 6	\$15, 579	\$26
18-44 8		45-64	10	0	3		
	·	65+	55	12. 0	4. 0	\$11, 847	\$143
Psychi atri c		Chronic Obstruct				4 , 0	4
Total 189 4. 6 5. 6 \$4, 295	\$20	Total	51	1. 2	3. 0	\$6, 484	\$8
<18 54 5. 4 7. 3 \$4, 969	\$27	<18	4			Ψ0/ 101	
18-44 98 5. 5 5. 0 \$3,877	\$21	18-44	10				
45-64 24 2. 7 3. 7 \$3, 547	\$9	45-64	12	•	•	•	•
65+ 13		65+	25	5. 5	4. 0	\$8, 375	\$46
	•	Drug-Rel ated		0.0	0	Ψ0,070	Ψ.0
Coronary Heart Disease		Total	18				
Total 234 5. 7 4. 4 \$25, 571	\$145	18-44	7	•	•	•	•
45-64 74 8. 2 3. 4 \$24, 937	\$204	10 11	,	•	•	•	•
65+ 146 31.9 5.0 \$26,709	\$853	Total Hospitaliz	zati ons				
001 110 01.7 0.0 φ20,707	ΨΟΟΟ	Total	3, 461	83. 6	3. 4	\$9, 522	\$796
Malignant Neoplasms (Cancers): All		<18	639	64. 0	2. 8	\$3, 354	\$215
Total 101 2. 4 4. 3 \$14, 470	\$35	18-44	1, 009	56. 7	2. 7	\$6, 692	\$380
18-44 6	ΨΟΟ	45-64	623	68. 9	3. 5	\$13, 202	\$910
45-64 36 4.0 3.9 \$13,317	\$53	45-64 65+	1, 190			\$13, 307	
Total 101 2.4 4.3 \$14, 470 18-44 6	\$203		., ., 5			ş.5,55,	\$5, .00
Neoplasms: Female Breast (rates for female po	opulation)	PRE	EVENTABI F	HOSPI T	TALI 7ATI	ONS*	
Total 15		Total	396	9.6	3. 2	\$6, 514	\$62
Neopl asms: Col o-rectal	•	<18	35	3. 5	1. 9	\$3, 182	\$11
Total 12		18-44	60	3. 4	2. 6	\$5, 956	\$20
65+ 7	•	18-44 45-64	74	8. 2	3. 3	\$7, 416	\$61
Neoplasms: Lung	•	65+	227	49. 7	3. 5	\$6, 881	\$342
Total 7			221	17.7	5. 5	Ψ0, 001	ΨΟΤΖ
Diabatas		* Wooni toli 70ti 000	for cond	i ti ono	whore +	imaly and	offootive
Di abetes Total 35 0.8 4.0 \$10,682	\$9	* Hospitalizations ambulatory care car	TOT COUC	ILLIUNS +bolliu	where t	of bossi	errective
	•	alliburatory care car	i i educe	the ITK	kei i nood	or nospi	tarrzatron
65+ 11	•						
		I					